


1.8 m | 6 ft Super High Performance Parabolic Reflector Antenna, Single-polarized, 5.925-6.425GHz

SHP6-5.9



FEATURES AND BENEFITS

O High Performance ETSI Class 3 Parabolic Antennas with exceptional front/back ratio – Excellent performance for a wide range of applications

O Simple Assembly - Minimal required assembly simplifies installation on site and guarantees "factory-tested" quality

SPECIFICATIONS

General

Antenna Type	Super High Performance Parabolic Reflector Antenna
Size, nominal	6 ft 1.8 m
Polarization	Single

Electrical

Operating Frequency Band	5.925 - 6.425 GHz
Half Power Beamwidth, Horizontal	1.9 degrees
Half Power Beamwidth, Vertical	1.9 degrees
Cross-Polarization Discrimination	30 dB
Front to Back Ratio (F/B)	72 dB

Standard RF Connector Type	CPR137G
Standard RF Connector Suffix	RS (append suffix to model number)

Gain, Low Frequency	38.5 dBi
Gain, Mid Frequency	39 dBi
Gain, High Frequency	39.3 dBi
VSWR	1.22:1
Return Loss	-20 dB



Mechanical

Fine Azimuth Adjustment	+/- 10 degrees
Fine Elevation Adjustment	+/- 10 degrees
Mounting Pipe Diameter, Min	4.5 inch 11.4 cm
Mounting Pipe Diameter, Max	4.5 inch 11.4 cm
Net Weight	251 lbs 113 kg
Wind Velocity Operational	90 mph 145 km/h
Wind Velocity Survival Rating	125 mph 201 km/h

Mechanical Configuration	SHP6
Axial Force (FA)	1680 lbs 7473 N
Side Force (FS)	832 lbs 3700 N
Twisting Moment (MT)	2100 ft-lbs 2847 Nm
Operating Temperature Range	-40 to +60 C
Max Pressure, PSIG, (if waveguide interface)	5

Regulatory Compliance

FCC	Part 101 Cat. A
Industry Canada Compliance	SRSP305.9 A

Shipping Information

Package Type	Wood Crate
Gross Weight	403 lbs 182.8 kg

Dimensions, L x W x H	77 x 35 x 80in 195 x 89 x 203 cm
Shipping Volume	124.77 cu ft 3.53 cu m

Yes

302217 R1 C2


*Additional OEM interfaces and adapters may be available. Contact RadioWaves for a complete and current list of available adapters.

ETSI

RoHS-compliant



TECHNICAL DRAWINGS



 $\ensuremath{\textcircled{\sc 0}}$ 2024 Alive Telecom, Inc. RadioWaves is a registered trademark of Alive Telecom, Inc.